

RECEIVED  
CENTRAL FAX CENTER

OCT 11 2006

IN THE CLAIMS

*Please amend the claims without prejudice or disclaimer to read as follows:*

1. (Currently Amended) A method of processing telephone calls from a plurality of telephone sources in interoperating with a vehicle audio system, the method comprising the steps of:
  - providing a first call ~~via a~~ received via any first one of the telephone sources to a user via the vehicle audio system;
  - notifying the user of a second call received via ~~[[a]]~~ any second one of the telephone sources different from the first one of the telephone sources while the first call is active;
  - processing an instruction from the user to suspend the first call and accept the second call, wherein the first call is placed in a hold queue within the vehicle audio system without terminating the first call;
  - maintaining a connection between the hold queue in the vehicle audio system and the first one of the plurality of telephone sources while the second call remains active to thereby continue the first call even though the first and second calls emanate from different telephone sources; and
  - in response to a subsequent instruction from the user, restoring the first call from the hold queue and again providing the first call to the user via the vehicle audio system.
2. (Original) The method of claim 1 wherein the notifying step comprises providing an audible prompt using the vehicle audio system.
3. (Original) The method of claim 2 wherein the audible prompt comprises an indication of the priority of the second call.
4. (Original) The method of claim 1 wherein the processing step comprises placing the first call on hold while the user accepts the second call.

RECEIVED  
CENTRAL FAX CENTER

OCT 11 2006

5. (Original) The method of claim 1 wherein the providing step comprises routing audio information from the first phone to the vehicle audio system, and routing output from a vehicle microphone to an input of the first phone.
6. (Original) The method of claim 5 wherein the processing step comprises routing audio information from the second phone to the vehicle audio system and routing output from a vehicle microphone to an input of the second phone in response to the instruction from the user to suspend the first call.
7. (Cancelled)
8. (Cancelled)
9. (Currently Amended) A system for processing telephone calls from a plurality of telephone sources in a vehicle audio system, the system comprising:
  - means for providing a first call received via any using a first one of the telephone sources to a user via the vehicle audio system;
  - means for notifying the user of a second call received via [[a]] any second one of the telephone sources different from the first one of the telephone sources while the first call remains active; and
  - means for processing an instruction from the user to suspend the first call and accept the second call, wherein the first call is placed in a hold queue within the vehicle audio system without terminating the first call;
  - means for maintaining a connection between the hold queue in the vehicle audio system and the first one of the plurality of telephone sources while the second call remains active to thereby continue the first call even though the first and second calls emanate from different telephone sources; and

RECEIVED  
CENTRAL FAX CENTER

OCT 11 2006

means for restoring the first call from the hold queue and for again providing the first call to the user via the vehicle audio system in response to a subsequent instruction from the user.

10. (Currently Amended) An audio system for processing telephone calls from a plurality of telephones in a vehicle, the system comprising at least one audio speaker, a user interface and a controller communicating with an interface to each of the plurality of telephones, wherein the controller is configured to provide a first call from a first telephone to a user via the at least one audio speaker, to notify the user of a second call received via a second telephone while the first call is active, and to process an instruction received from the user at the user interface to suspend the first call and accept the second call over the at least one audio speaker, wherein the first call is suspended by placing the first call in a hold queue without terminating the first call, and wherein the first call is restored from the hold queue in response to a subsequent instruction from the user and is again provided to the user via the at least one audio speaker, wherein the hold queue is configured to maintain a connection with the first one of the plurality of telephone sources while the second call remains active to thereby continue the first call even though the first and second calls emanate from different telephone sources.
11. (Original) The audio system of claim 10 further comprising a first interface to the first telephone and a second interface to the second telephone.
12. (Original) The audio system of claim 11 wherein the first interface is a wireless interface.
13. (Original) The audio system of claim 12 wherein the second interface is an interface to an onboard telephony system.
14. (Original) The audio system of claim 12 wherein the wireless interface is a Bluetooth interface.

15. (Original) The audio system of claim 13 wherein the processor is further configured to override any calls on the first telephone to automatically place a call on the second telephone in the event of an emergency.
16. (Cancelled)
17. (Original) The audio system of claim 10 wherein the controller is further configured to place the second call into a queue if the user continues the first call.
18. (Original) The audio system of claim 10 further comprising a voice recording subsystem in communication with the controller.
19. (Original) The audio system of claim 12 wherein the controller is further configured to place the first call into a private mode on the first telephone when instructed by the user.
20. (Original) The audio system of claim 10 wherein the user interface comprises a SEND button, a REJECT button, and an END button.
21. (Original) The method of claim 1 wherein the subsequent instruction from the user comprises an instruction to terminate the second call.
22. (New) The method of claim 1 wherein the hold queue is further configured to maintain connections with any of the plurality of telephone sources to thereby continue calls received from any one of the plurality of telephone sources while calls from any other one of the plurality of telephone sources are active.